

CLAIM LISTING

Claims 1-29: Canceled.

30. (previously presented) A method for processing an extensible mark up language (XML) document comprising:  
parsing the XML document into schema elements and data elements;  
converting the schema elements into data type definition (DTD) objects;  
validating the data elements using the DTD objects; and  
if valid, constructing an in-memory tree representation of the XML document using the data elements.

31. (previously presented) The method of claim 30, wherein the converting comprises:  
calling a method in a first application program interface (API); and  
as a result of calling the first method, calling one or more methods in a second API to construct the DTD objects.

32. (previously presented) The method of claim 30, wherein the converting comprises referencing one or more tables that define the schema elements and associated functions for processing the schema elements.

33. (previously presented) A computer-readable medium having computer-executable instruction, which when executed by a computer, performs the method of claim 30.

34. (previously presented) An architecture for processing an extensible mark up language (XML) document comprising:

1 a parser to parse the XML document into elements including schema  
2 elements and data elements;

3 a schema node factory, called by the parser, to handle calls to construct a  
4 node in an in-memory tree representation of the XML document for the elements;  
5 and

6 a schema builder, called by the schema node factory, to construct data type  
7 definition (DTD) objects used in validating the data elements.

8 35. (previously presented) The architecture of claim 34, wherein the  
9 schema builder utilizes one or more tables to process the elements, the tables  
10 containing information defining a schema for the XML data.

11 36. (previously presented) A computer implemented with the  
12 architecture of claim 34.

13 37. (previously presented) A client-server system, comprising:  
14 a server;  
15 a client connectable to the server to exchange extensible mark up language  
16 (XML) documents;  
17 at least one of the client and the server implementing the architecture of  
18 claim 34.

19 38. (previously presented) The architecture of claim 34,  
20 further comprising a validation node factory to evaluate whether the data elements  
21 comply with constraints set forth in the DTD objects.

22  
23 39. (previously presented) A system for processing an extensible  
24 mark up language (XML) document comprising:  
25

1 means for parsing the XML document into schema elements and data  
2 elements;

3 means for converting the schema elements into data type definition (DTD)  
4 objects;

5 means for validating the data elements using the DTD objects; and

6 if valid, means for constructing an in-memory tree representation of the  
7 XML document using the data elements.  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25